

ASTRON Racing 2T Syn

Full-synthetic two-stroke engine oil

Properties

- Full-synthetic two-stroke engine oil
- Excellent protection against rust, corrosion and wear
- Extreme high temperature stability
- Continuous lubricant film preventing piston seizure and scoring
- Protection against ring clogging
- Residue-free combustion preventing spark arching
- Suitable for use in systems with mixed or separate lubrication
- Environmentally friendly thanks to extra low fume emissions

Specifications:

- API TC (TSC-3)
- ISO-L-EGD (low smoke)
- JASO FC/FD
- TISI

Use instructions

ASTRON Racing 2T Syn is a full-synthetic two-stroke engine oil with a low ash additive system for sporty air- and water-cooled two-stroke engines in motor vehicles, motorcycles, scooters and mopeds with separate or mixed lubrication up to a mixed ratio of 1.100. Observe manufacturer instructions.

TYPICAL PARAMETERS	METHODS	UNITS	ASTRON Racing 2T Syn
Density at 15°C	ASTM D-7042	kg/m ³	870
Viscosity at 40°C	ASTM D-7042	mm ² /s	72,6
Pour point	DIN EN ISO 3016	°C	-29
COC flash point	DIN EN ISO 2592	°C	138

* meets the requirements of the OEM manufacturer.
The stated values may vary within the usual commercial range.

17.06.2025



Power in every molecule

Duran Lubricants & Chemicals GmbH
Rodderheide 3-7 • D-33824 Werther

Tel. +49 5203 901510
www.astron-oil.de
info@durand-lub.com

Health, Safety and Environment –
information is provided for products
in the relevant Safety Data Sheet.

