

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

ASTRON Brake Fluid DOT 4 LV

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

brake fluids

###### Uses advised against

No information available.

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Duran Lubricants & Chemicals GmbH	
Street:	Rodderheide 3-7	
Place:	D-33824 Werther	
Telephone:	+49 (0)5203-901510	Fax: +49 (0)5203-901515
e-mail:	info@duran-oil.com	
Internet:	www.fosser.de	
Responsible Department:	Produktsicherheit / Product Safety info@duran-oil.com	

##### 1.4. Emergency telephone number:

 Giftinformationszentrum Nord  
 (Göttingen)+49 (0)551/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Repr. 2; H361fd

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

**Signal word:** Warning

###### Pictograms:



###### Hazard statements

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

###### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 2 of 12

P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P405 Store locked up.  
 P501 Dispose of contents / container in accordance with official regulations.

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. According to the present state of knowledge provided this product is handled correctly, there is no danger to humans or the environment

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate			>= 30 - <50 %
	250-418-4		01-2119462824-33	
	Repr. 2; H361fd			
	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol			>= 3 - < 10 %
	907-996-4			
	Eye Dam. 1; H318			
110-97-4	1,1'-iminodipropyl-2-ol; di-isopropanolamine			>= 1 - <= 5 %
	203-820-9	603-083-00-7		
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
30989-05-0	250-418-4	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	>= 30 - <50 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
	907-996-4	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol	>= 3 - < 10 %
		Eye Dam. 1; H318: >= 30 - 100 Eye Irrit. 2; H319: >= 20 - < 30	
110-97-4	203-820-9	1,1'-iminodipropyl-2-ol; di-isopropanolamine	>= 1 - <= 5 %
		dermal: LD50 = 8000 mg/kg; oral: LD50 = >2000 mg/kg	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Personal protection equipment: see section 8  
 Never give anything by mouth to an unconscious person or a person with cramps.  
 In all cases of doubt, or when symptoms persist, seek medical advice.

##### After inhalation

Remove person to fresh air and keep comfortable for breathing.  
 When in doubt or if symptoms are observed, get medical advice.

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 3 of 12

#### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.  
After contact with skin, wash immediately with plenty of water and soap.  
If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth thoroughly with water.  
Let water be drunk in little sips (dilution effect).  
Do NOT induce vomiting.  
Seek medical advice immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Use water spray jet to protect personnel and to cool endangered containers.  
Co-ordinate fire-fighting measures to the fire surroundings.

- alcohol resistant foam
- Extinguishing powder
- Carbon dioxide (CO<sub>2</sub>)
- Water mist

##### **Unsuitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.  
In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO<sub>2</sub>).
- Nitrogen oxides (NO<sub>x</sub>)
- Pyrolysis products, toxic

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
Suppress gases/vapours/mists with water spray jet.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Dispose of waste according to applicable legislation.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Keep people at a distance and stay on the windward side.

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 4 of 12

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Stop leak if safe to do so.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### **For cleaning up**

Collect in closed and suitable containers for disposal.  
Treat the recovered material as prescribed in the section on waste disposal.  
Clean contaminated articles and floor according to the environmental legislation.

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Do not breathe gas/fumes/vapour/spray.  
Avoid contact with skin, eyes and clothes.  
Use personal protective equipment as required.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep locked up.  
Keep container tightly closed in a cool, well-ventilated place.  
Keep only in the original container.

##### **Hints on joint storage**

Do not store together with:  
- Materials capable of ignition under almost all normal temperature conditions  
- Explosives

#### **7.3. Specific end use(s)**

brake fluids

### SECTION 8: Exposure controls/personal protection

#### **8.1. Control parameters**

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 5 of 12

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate			
Worker DNEL, long-term		inhalation	systemic	14,8 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	4,2 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,6 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
110-97-4	1,1'-iminodipropyl-2-ol; di-isopropanolamine			
Worker DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	16 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	6,3 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	3,9 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	1,3 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	
Freshwater		0,211 mg/l
Freshwater (intermittent releases)		2,112 mg/l
Marine water		0,021 mg/l
Freshwater sediment		0,76 mg/kg
Marine sediment		0,076 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,028 mg/kg
110-97-4	1,1'-iminodipropyl-2-ol; di-isopropanolamine	
Freshwater		0,2777 mg/l
Freshwater sediment		2,33 mg/kg
Marine sediment		0,233 mg/kg
Soil		0,303 mg/kg

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations. Do not breathe

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 6 of 12

gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink, smoke, sniff.

#### Eye/face protection

Wear eye/face protection. (EN166)

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. (EN ISO 374)

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: > 0,3 mm

Breakthrough time: > 8h

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Half-face mask (EN 140)

Filter type: A (EN 141)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)

#### Environmental exposure controls

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	characteristic
Odour threshold:	not determined

pH-Value (at 20 °C):

#### Test method

8 ASTM D 1287:2011

#### Changes in the physical state

Melting point/freezing point:

< -70 °C ASTM D 1177

Boiling point or initial boiling point and boiling range:

> 260 °C ASTM D 1120

Pour point:

not determined

Flash point:

136 °C DIN EN ISO 2719

#### Flammability

Solid/liquid:

not applicable

Gas:

not applicable

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 7 of 12

#### Explosive properties

The product is not: Explosive.

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature: >300 °C DIN 51794

#### Self-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: 360 °C

#### Oxidizing properties

The product is not: oxidising.

Vapour pressure: not determined

Vapour pressure: not determined

Density (at 20 °C): 1,06 g/cm<sup>3</sup> DIN 51757

Water solubility: Water: miscible

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Viscosity / dynamic: not determined

Viscosity / kinematic:  
(at 20 °C) 12,3 mm<sup>2</sup>/s DIN 51562

Relative vapour density: not determined

Evaporation rate: not determined

#### 9.2. Other information

Solid content: not determined

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

Incompatible materials:

- Oxidizing agent
- Strong acid

#### 10.6. Hazardous decomposition products

Hazardous decomposition products:

- Carbon monoxide (CO)
- Carbon dioxide (CO<sub>2</sub>).

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 8 of 12

- Nitrogen oxides (NO<sub>x</sub>)
- Pyrolysis products, toxic

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (1995)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2010)	OECD Guideline 402
110-97-4	1,1'-iminodipropan-2-ol; di-isopropanolamine				
	oral	LD50 > 2000 mg/kg	Rat	OECD 401	
	dermal	LD50 8000 mg/kg	Rabbit		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility. Suspected of damaging the unborn child. (Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

### 11.2. Information on other hazards

#### Endocrine disrupting properties

See section: 12.6

## SECTION 12: Ecological information

### 12.1. Toxicity

The product has not been tested.



## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate					
	Acute fish toxicity	LC50 100,3 mg/l	96 h	Oncorhynchus mykiss	Study report (1987)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 224,4 mg/l	72 h	Raphidocelis subcapitata	Study report (1999)	EU Method C.3
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	0,5 h	The inoculum of the activated sludge originated fr	Study report (1999)	OECD Guideline 209
110-97-4	1,1'-iminodipropan-2-ol; di-isopropanolamine					
	Acute fish toxicity	LC50 1466 mg/l	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute crustacea toxicity	EC50 277,7 mg/l	48 h	Daphnia magna (Big water flea)		

#### **12.2. Persistence and degradability**

The product has not been tested.

#### **12.3. Bioaccumulative potential**

The product has not been tested.

#### **Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	-0,62
110-97-4	1,1'-iminodipropan-2-ol; di-isopropanolamine	-0,82

#### **12.4. Mobility in soil**

No information available.

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

No information available.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### **Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### **Land transport (ADR/RID)**

##### **14.1. UN number:**

No dangerous good in sense of this transport regulation.

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 10 of 12

<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC):	49,99 % (529,894 g/l)
2004/42/EC (VOC):	4,99 % (52,894 g/l)
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 11 of 12

#### SECTION 16: Other information

##### Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,8,9,10,11,12,13,15,16.

##### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern  
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

##### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Repr. 2; H361fd	Calculation method

##### Relevant H and EUH statements (number and full text)

H318 Causes serious eye damage.  
H319 Causes serious eye irritation.

## Safety Data Sheet

### ASTRON Brake Fluid DOT 4 LV

Revision date: 09.08.2023

Page 12 of 12

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*