

ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ASTRON Ultima Balance Extra 20W-50

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil multigrade

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Duran Lubricants & Chemicals GmbH

Street: Rodderheide 3-7
Place: D-33824 Werther
Telephone: +49 (0)5203-901510

e-mail: info@duran-oil.com Internet: www.fosser.de

Responsible Department: Produktsicherheit / Product Safety

info@duran-oil.com

1.4. Emergency telephoneGiftinformationszentrum Nordnumber:(Göttingen)+49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts, Alkyl-(C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an

Fax: +49 (0)5203-901515

allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 2 of 11

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-------------|--|--------------------------------------|-------------------|---------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 68784-31-6 | Phosphorodithioic acid, mixed O,O- | bis(sec-Bu and 1,3-dimethylbutyl) es | sters, zinc salts | 1 - < 2,5 % |
| | 272-238-5 | | 01-2119657973-23 | |
| | Eye Dam. 1, Aquatic Chronic 2; H3 | | | |
| 722503-68-6 | Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts | | | 0,1 - < 1,0 % |
| | 682-816-2 | | | |
| | Skin Sens. 1, Aquatic Chronic 4; H3 | | | |
| | Alkyl-(C18-C28) toluenesulfonic aci | d, calcium salts, borated | | 0,1 - < 1,0 % |
| | 953-650-0 | | | |
| | Repr. 2, Skin Sens. 1B; H361d H317 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| <u> </u> | = | ············ | |
|------------|--|--|---------------|
| CAS No | EC No | Chemical name | Quantity |
| | Specific Conc. | Limits, M-factors and ATE | |
| 68784-31-6 | 272-238-5 | Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | 1 - < 2,5 % |
| | dermal: LD50 = > 5000 mg/kg; oral: LD50 = 3400 mg/kg | | |
| | 953-650-0 | Alkyl-(C18-C28) toluenesulfonic acid, calcium salts, borated | 0,1 - < 1,0 % |
| | Repr. 2; H361d: >= 17,5 - 100 | | |

Further Information

Test data verify that the zinc dialkyl dithiophosphate does not cause the classification of the product as "Eye irritant 2". All concentrations are units of weight percent for liquids, and unit of volume percent for gaseous products.

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 3 of 11

ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Carbon dioxide (CO2).
- Extinguishing powder
- Foam

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Nitrogen oxides (NOx)
- Hydrogen sulphide (H2S)
- Phosphorus oxides
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing

In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 4 of 11

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust.

Use personal protection equipment.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Keep only in the original container. Store in a cool dry place. (Protect from moisture.)

Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

Motor oil multigrade

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | | | |
|-------------|--|--------------------------|----------|-----------------------|
| DNEL type | | Exposure route | Effect | Value |
| 68784-31-6 | Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dim | ethylbutyl) esters, zinc | salts | |
| Worker DNEL | long-term | inhalation | local | 5,58 mg/m³ |
| Consumer DN | EL, long-term | inhalation | local | 1,19 mg/m³ |
| Worker DNEL | long-term | inhalation | systemic | 2,93 mg/m³ |
| Worker DNEL | acute | inhalation | systemic | 496,4 mg/m³ |
| Worker DNEL | long-term | dermal | systemic | 10,42 mg/kg bw/day |
| Worker DNEL | acute | dermal | systemic | 100 mg/kg bw/day |
| Consumer DN | EL, long-term | inhalation | systemic | 11,75 mg/m³ |
| Consumer DN | EL, acute | inhalation | systemic | 198,6 mg/m³ |
| Consumer DN | EL, long-term | dermal | systemic | 2,1 mg/kg bw/day |
| Consumer DN | EL, acute | dermal | systemic | 50 mg/kg bw/day |
| Consumer DN | EL, long-term | oral | systemic | 0,21 mg/kg bw/day |
| Consumer DN | EL, acute | oral | systemic | 29 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|--|-------------|
| Environmenta | I compartment | Value |
| 68784-31-6 | Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | |
| Freshwater | | 0,004 mg/l |
| Freshwater (i | Freshwater (intermittent releases) | |
| Marine water | | 0,0046 mg/l |
| Freshwater sediment | | 0,07 mg/kg |
| Marine sedim | Marine sediment | |
| Secondary poisoning 8, | | 8,33 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 3,8 mg/l |
| Soil | | 0,055 mg/kg |

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 6 of 11

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374 Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough

time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic
Odour threshold: not determined

Test method

Print date: 22.11.2021

pH-Value: not determined

Changes in the physical state

Melting point: not determined Boiling point or initial boiling point and $> 320 \, ^{\circ}\text{C}$

boiling range:

Pour point: $-36 \,^{\circ}\text{C}$ ISO 3016 Flash point: $> 210 \,^{\circ}\text{C}$ DIN ISO 2592

Flammability

Solid/liquid: not applicable
Gas: not applicable

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:

0,6 vol. %

Upper explosion limits:
6,5 vol. %

Self-ignition temperature

Solid: not applicable Gas: not applicable



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 7 of 11

Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

Vapour pressure: not determined

Density (at 15 °C): 0,877 g/cm³

Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / dynamic:

Viscosity / kinematic:

(at 40 °C)

not determined

not determined

Relative vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Oxidising agent

10.6. Hazardous decomposition products

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Nitrogen oxides (NOx)
- Hydrogen sulphide (H2S)
- Phosphorus oxides
- Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 8 of 11

| CAS No | Chemical name | | | | | |
|------------|--|---------------|--------|---------|---------------------|--------------------|
| | Exposure route | Dose | | Species | Source | Method |
| 68784-31-6 | Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | | | | | |
| | oral | LD50 mg/kg | 3400 | Rat | Study report (1981) | OECD Guideline 401 |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | Study report (1981) | OECD Guideline 402 |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts, Alkyl-(C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | | |
|------------|---------------------------|--|----------|-----------|-------------------------|---|---|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 68784-31-6 | Phosphorodithioic acid, m | Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | | | | | |
| | Acute fish toxicity | LL50 | 4,4 mg/l | 96 h | Oncorhynchus mykiss | Study report (2002) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 | 410 mg/l | 72 h | Desmodesmus subspicatus | Study report (2004) | OECD Guideline 201 |
| | Acute crustacea toxicity | EL50 | 75 mg/l | 48 h | Daphnia magna | Study report (2005) | OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | >= 1000 | 14 d | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) | The aquatic toxicity was estimated by a |
| | Crustacea toxicity | NOEC | 0,4 mg/l | 21 d | Daphnia magna | Study report (2010) | OECD Guideline 211 |

12.2. Persistence and degradability



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 9 of 11

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|---------|
| 68784-31-6 | Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | ca. 4 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|--------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |

Print date: 22.11.2021



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 10 of 11

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

Print date: 22.11.2021



ASTRON Ultima Balance Extra 20W-50

Revision date: 11.11.2021 Page 11 of 11

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts, Alkyl-(C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an

allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)