

ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ASTRON 85W-90 LS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Duran Lubricants & Chemicals GmbH

 Street:
 Rodderheide 3-7

 Place:
 D-33824 Werther

 Telephone:
 +49 (0)5203-901510

e-mail: info@duran-oil.com Internet: www.fosser.de

Responsible Department: Produktsicherheit / Product Safety

info@duran-oil.com

1.4. Emergency telephoneGiftinformationszentrum Nordnumber:(Göttingen)+49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

C10-14-tert-Alkylamines

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

Fax: +49 (0)5203-901515



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 2 of 13

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | | |
|--------------|---|---|------------------|----------------|--|
| | EC No | Index No | REACH No | | |
| | GHS Classification | | | | |
| 64742-54-7 | Distillates (petroleum), hydrotreated | d heavy paraffinic; Baseoil - unspecifi | ed | 39 - < = 65 % | |
| | 265-157-1 | 649-467-00-8 | 01-2119484627-25 | | |
| | Asp. Tox. 1; H304 | | | | |
| | C10-14-tert-Alkylamines | | | 0 - < = 0,62 % | |
| | 701-175-2 | | 01-2119456798-18 | | |
| | Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H302 H314 H318 H317 H335 H400 H410 | | | | |
| 1213789-63-9 | C16-18-(even numbered, saturated | 0 - < = 0,12 % | | | |
| | 627-034-4 | | 01-2119473797-19 | | |
| | Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H335 H373 H304 H400 H410 | | | | |
| 74499-35-7 | phenol, (tetrapropenyl) derivatives | | | 0 - < 0,02 % | |
| | | 604-092-00-9 | | | |
| | Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--------------|--|---|----------------|
| | Specific Conc. I | Limits, M-factors and ATE | |
| 64742-54-7 | 265-157-1 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | 39 - < = 65 % |
| | inhalation: LC5 5000 mg/kg | 0 = 5,53 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > | |
| | 701-175-2 | C10-14-tert-Alkylamines | 0 - < = 0,62 % |
| | inhalation: LC50 = >= 157 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 251 mg/kg; oral: LD50 = > 500 mg/kg | | |
| 1213789-63-9 | 627-034-4 | C16-18-(even numbered, saturated and unsaturated)-alkylamines | 0 - < = 0,12 % |
| | dermal: LD50 = M chron.; H410 | = > 2000 mg/kg; oral: LD50 = 1689 mg/kg M akut; H400: M=10 : M=10 | |
| 74499-35-7 | | phenol, (tetrapropenyl) derivatives | 0 - < 0,02 % |
| | dermal: LD50 = M chron.; H410 | = >2000 mg/kg; oral: LD50 = >2000 mg/kg M akut; H400: M=10 : M=10 | |



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 3 of 13

Further Information

phenol, (tetrapropenyl) derivatives: This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove person to fresh air and keep comfortable for breathing.

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Carbon dioxide (CO2).
- Extinguishing powder

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 4 of 13

- Nitrogen oxides (NOx)
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust.

Use personal protection equipment.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

Further information on handling

Fire class B

Do not breathe gas/fumes/vapour/spray.

7.2. Conditions for safe storage, including any incompatibilities



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 5 of 13

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Keep only in the original container. Store in a cool dry place. (Protect from moisture.)

Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

gear oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|---|----------------|----------|----------------------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 2,73 mg/m³ | | |
| Worker DNEL, | long-term | inhalation | local | 5,58 mg/m³ | | |
| Worker DNEL, | long-term | dermal | systemic | 0,97 mg/kg bw/day | | |
| Consumer DN | EL, long-term | inhalation | local | 1,19 mg/m³ | | |
| Consumer DN | EL, long-term | oral | systemic | 0,74 mg/kg bw/day | | |
| | C10-14-tert-Alkylamines | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 12,5 mg/m³ | | |
| Worker DNEL, | long-term | inhalation | local | 12,1 mg/m³ | | |
| Consumer DN | EL, long-term | inhalation | systemic | 2,5 mg/m³ | | |
| Consumer DN | EL, long-term | inhalation | local | 1,2 mg/m³ | | |
| Consumer DN | EL, long-term | oral | systemic | 0,35 mg/kg bw/day | | |
| 1213789-63- 9 | | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 0,38 mg/m³ | | |
| Worker DNEL, long-term | | inhalation | local | 1 mg/m³ | | |
| Worker DNEL, acute | | inhalation | local | 1 mg/m³ | | |
| Consumer DNEL, long-term | | inhalation | systemic | 0,035 mg/m³ | | |
| Consumer DN | EL, long-term | oral | systemic | 0,04 mg/kg bw/day | | |



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 6 of 13

PNEC values

| | • | |
|--------------------------|---|---------------|
| CAS No | Substance | |
| Environmenta | l compartment | Value |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | • |
| Secondary po | sisoning | 9,33 mg/kg |
| | C10-14-tert-Alkylamines | |
| Freshwater | | 0,001 mg/l |
| Freshwater (iı | ntermittent releases) | 0,004 mg/l |
| Marine water | | 0 mg/l |
| Freshwater se | ediment | 2,14 mg/kg |
| Marine sedim | ent | 0,214 mg/kg |
| Secondary poisoning | | 4,71 mg/kg |
| Micro-organis | ms in sewage treatment plants (STP) | 0,635 mg/l |
| Soil | | 0,428 mg/kg |
| 1213789-63- 9 | C16-18-(even numbered, saturated and unsaturated)-alkylamines | |
| Freshwater | | 0,00026 mg/l |
| Freshwater (i | ntermittent releases) | 0,0016 mg/l |
| Marine water | | 0,000026 mg/l |
| Freshwater sediment 3,7 | | |
| Marine sediment 0,376 ii | | 0,376 mg/kg |
| Micro-organis | ms in sewage treatment plants (STP) | 0,55 mg/l |
| Soil 10 mg/k | | |

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 7 of 13

Recommended glove articles: EN ISO 374 Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough

time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: vellow Odour: characteristic Odour threshold: not determined

pH-Value: not determined

Changes in the physical state

Melting point: not determined not determined Boiling point or initial boiling point and

boiling range:

-33 °C Pour point: 210 °C Flash point:

Flammability

Solid/liquid: not applicable not applicable Gas:

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible. not determined Lower explosion limits: Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable Gas: not applicable Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

not determined Vapour pressure: Density (at 15 °C): 0,892 g/cm³ The study does not need to be conducted Water solubility:

because the substance is known to be insoluble in water.



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 8 of 13

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / dynamic:

Not determined

not determined

Niscosity / kinematic:

(at 40 °C)

not determined

Relative vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Oxidising agent
- Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Nitrogen oxides (NOx)
- Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 9 of 13

| CAS No | Chemical name | | | | | |
|------------------|---|----------------|---------------|----------------------------|---------------------|--------------------|
| | Exposure route | Dose | | Species | Source | Method |
| 64742-54-7 | Distillates (petroleum), hy | /drotreated he | eavy paraffir | nic; Baseoil - unspecified | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Study report (1982) | OECD Guideline 401 |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | Study report (1982) | OECD Guideline 402 |
| | inhalation (4 h) aerosol | LC50 | 5,53 mg/l | Rat | | OECD Guideline 403 |
| | C10-14-tert-Alkylamines | | | | | |
| | oral | LD50 mg/kg | > 500 | Rat | Study report (1993) | OECD Guideline 401 |
| | dermal | LD50 mg/kg | 251 | Rat | Study report (1993) | OECD Guideline 402 |
| | inhalation (4 h) vapour | LC50 mg/l | >= 157 | Rat | Study report (2001) | OECD Guideline 403 |
| | inhalation aerosol | ATE | 0,05 mg/l | | | |
| 1213789-63- 9 | C16-18-(even numbered, saturated and unsaturated)-alkylamines | | | | | |
| | oral | LD50 mg/kg | 1689 | Rat | Study report (1993) | OECD Guideline 401 |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (1985) | OECD Guideline 402 |
| 74499-35-7 | phenol, (tetrapropenyl) de | erivatives | | | | |
| | oral | LD50 mg/kg | >2000 | Rat | | |
| | dermal | LD50 mg/kg | >2000 | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (C10-14-tert-Alkylamines)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 10 of 13

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

| CAS No | Chemical name | | | | | | | |
|------------------|---|---------------|----------|-----------|--|------------------------|-----------------------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | | | | |
| | Acute fish toxicity | LL50 mg/l | > 100 | 96 h | Pimephales promelas | Study report (1995) | OECD Guideline 203 | |
| | C10-14-tert-Alkylamines | | | | | | | |
| | Acute fish toxicity | LC50 | 1,3 mg/l | 96 h | Oncorhynchus mykiss | Study report (1994) | OECD Guideline 203 | |
| | Acute algae toxicity | ErC50 mg/l | 0,44 | 72 h | Pseudokirchneriella subcapitata | Study report (1994) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 | 4,1 mg/l | 48 h | Daphnia magna | Study report (1984) | OECD Guideline 202 | |
| | Fish toxicity | NOEC mg/l | 0,078 | 96 d | Oncorhynchus mykiss | Study report (2002) | OECD Guideline 210 | |
| | Acute bacteria toxicity | (63,5 mg | /l) | 0,5 h | activated sludge of a predominantly domestic sewag | Study report (2008) | OECD Guideline 209 | |
| 1213789-63- 9 | C16-18-(even numbered, saturated and unsaturated)-alkylamines | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 0,84 | 96 h | Danio rerio | Study report (2006) | OECD Guideline 203 | |
| | Acute algae toxicity | ErC50 mg/l | 0,39 | 72 h | Desmodesmus subspicatus | Study report (2002) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | 0,32 | 48 h | Daphnia magna | Study report (2006) | OECD Guideline 202 | |
| | Crustacea toxicity | NOEC mg/l | 0,013 | 21 d | Daphnia magna | Study report (2002) | OECD Guideline 211 | |
| | Acute bacteria toxicity | (32 mg/l) | | 3 h | activated sludge of a predominantly domestic sewag | Study report (1989) | OECD Guideline 209 | |
| 74499-35-7 | phenol, (tetrapropenyl) de | rivatives | | | | | | |
| | Acute fish toxicity | LC50 | 40 mg/l | 96 h | | | | |
| | Acute crustacea toxicity | EC50 mg/l | 0,037 | 48 h | | | | |
| | Algae toxicity | NOEC mg/l | 0,07 | 3 d | | | | |
| | Crustacea toxicity | NOEC mg/l | 0,0037 | 3 d | | | | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 11 of 13

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|--------------|---|---------|
| | C10-14-tert-Alkylamines | 2,9 |
| 1213789-63-9 | C16-18-(even numbered, saturated and unsaturated)-alkylamines | 5,16 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|------|---------|----------------------|
| | C16-18-(even numbered, saturated and unsaturated)-alkylamines | 173 | | Environmental Toxico |
| 74499-35-7 | phenol, (tetrapropenyl) derivatives | 1601 | | |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| mic danoport (misso) | | | | | |
|-----------------------------------|--|--|--|--|--|
| 14.1. UN number: | No dangerous good in sense of this transport regulation | | | | |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. | | | | |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. | | | | |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. | | | | |



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 12 of 13

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration. Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations



ASTRON 85W-90 LS

Revision date: 24.01.2022 Page 13 of 13

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Harmful if swallowed.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| oldosinodion for mixtures and doca evaluation method decorating to regulation (20) No. 12/2/2000 [62] | | | | | |
|---|--------------------------|--|--|--|--|
| Classification | Classification procedure | | | | |
| Skin Sens. 1; H317 | Calculation method | | | | |
| Aquatic Chronic 3; H412 | Calculation method | | | | |

Relevant H and EUH statements (number and full text)

| H304 | May be fatal if swallowed and enters airways. |
|-------|--|
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H360F | May damage fertility. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

H302

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)