

ASTRON Universal 2T Syn

Synthetic two-stroke engine oil

Properties

- Synthetic two-stroke engine oil.
- Excellent protection against rust, corrosion and wear.
- Excellent high-temperature stability
- Continuous lubricant film preventing piston seizure and scoring.
- Protection against ring clogging.
- Residue-free combustion preventing spark arching.
- Suitable for use in systems with mixed or separate lubrication.
- Environmentally friendly thanks to extra low fume emissions.

Use instructions

ASTRON Universal 2T Syn is a synthetic two-stroke engine oil designed for air-cooled and water-cooled sports two-stroke engines in cars, motorbikes, scooters and mopeds with separate or mixed lubrication, up to a mixing ratio of 1:50.

Observe manufacturer instructions.

Specifications:

- API TC
- ISO-L-EGD
- JASO FD
- TISI

Recommendation:

- Husqvarna
- Piaggio Hexagon
- Rotax
- Stihl

TYPICAL PARAMETERS	METHODS	UNITS	ASTRON Universal 2T Syn
Density at 15°C	DIN EN ISO 12185	kg/m ³	858
Color	visually		green
Viscosity at 100°C	DIN ISO 51 562	mm ² /s	7,5
Sulphated ash	DIN I51 575	% mass.	0.10
Pour point	ASTM D 7346	°C	-48
Flash point COC	DIN ISO 2592	°C	170

* meets the requirements of the OEM manufacturer.
The stated values may vary within the usual commercial range.

17.06.2025



Power in every molecule

Duran Lubricants & Chemicals GmbH
Rodderheide 3-7 • D-33824 Werther

Tel. +49 5203 901510
www.astron-oil.de
info@durand-lub.com

Health, Safety and Environment –
information is provided for products
in the relevant Safety Data Sheet.

