PRODUCT CERTIFICATE



ASTRON Galaxy PSA pro C2 5W-30

HC-synthetic high-performance low viscosity engine oil for passenger car engines with and without exhaust aftertreatment system

Properties

ASTRON Galaxy PSA pro C2 5W-30 is a HC-synthetic high-performance low viscosity engine oil for petrol and diesel engines in passenger cars, with low sulphur, ash and phosphorus content (low SAP). Base oils of the latest HC-synthesis technology and a completely new high-performance additive with lowered sulphated ash guarantee significant fuel savings, best wear protection and highest engine cleanliness. Excellent cold start behaviour ensures optimum lubrication reliability in the cold running phase. Extreme loads and high temperatures are safely mastered.

ASTRON Galaxy PSA pro C2 5W-30 can be used under all operating conditions and contributes to the protection of the environment by reducing pollutant emissions.

Use instructions

ASTRON Galaxy PSA pro C2 5W-30 has been developed for petrol and diesel engines with and without particle filters (DPFs) and is also ideally suited for gas-powered (CNG/LPG) cars. **ASTRON Galaxy PSA pro C2 5W-30** optimises the service life of the exhaust gas purification systems and maintains their functionality.

Specifications:

- ACEA C2
- API SP

Recommendations*:

- PSA B71 2290
- FIAT 9.55535-S1
- Honda, where required
- Toyota, where required
- Subaru, where required

TYPICAL PARAMETERS	METHODS	UNITS	ASTRON Galaxy PSA pro C2 5W-30
Density at 15°C	DIN 51 757	kg/m³	851
Viscosity at 40°C	DIN 51 562	mm²/s	64,1
Viscosity at 100°C	DIN 51 562	mm²/s	11
Viscosity index (VI)	DIN ISO 2909	-	165
Viscosity at -30°C	DIN 51 377	mPa.s	5390
Flash point COC	DIN ISO 2592	°C	236
Pour point	DIN ISO 3016	°C	-42
TBN	DIN ISO 3771	mg KOH/g	8,5

^{*} meets the requirements of the OEM manufacturer.
The stated values may vary within the usual commercial range.

17.06.2025

