

ASTRON Galaxy Eco C1 5W-30

Fax: +49 (0)5203-901515

Print date: 17.02.2022

Revision date: 17.02.2022 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ASTRON Galaxy Eco C1 5W-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil multigrade

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Duran Lubricants & Chemicals GmbH

Street: Rodderheide 3-7
Place: D-33824 Werther
Telephone: +49 (0)5203-901510

e-mail: info@duran-oil.com Internet: www.fosser.de

Responsible Department: Produktsicherheit / Product Safety

info@duran-oil.com

1.4. Emergency telephoneGiftinformationszentrum Nordnumber:(Göttingen)+49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 2 of 13

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
36878-20-3	Bls(nonylphenyl)amine			1,0 - 1,49 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
84605-29-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts			
	283-392-8		01-2119493626-26	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Cl			
1190625-94-5	C14-16-18 Alkyl phenol			0,1 - 0,99 %
	931-468-2		01-2119498288-19	
	Skin Sens. 1B, STOT RE 2; H317 H373			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

-	1		
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
36878-20-3	253-249-4	Bls(nonylphenyl)amine	1,0 - 1,49 %
	oral: LD50 = >	5000 mg/kg	
84605-29-8	283-392-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	0,1 - 0,99 %
		50 = > 2,3 mg/l (vapours); dermal: LD50 = > 2002 mg/kg; oral: LD50 = 4468 rit. 2; H315: >= 6,25 - 100	
1190625-94-5	931-468-2	C14-16-18 Alkyl phenol	0,1 - 0,99 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove person to fresh air and keep comfortable for breathing.

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 3 of 13

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Foam
- Carbon dioxide (CO2).
- Extinguishing powder
- Water mist

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing

In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 4 of 13

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust.

Use personal protection equipment.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Keep only in the original container. Store in a cool dry place. (Protect from moisture.)

Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

Motor oil multigrade

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 5 of 13

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
36878-20-3	Bls(nonylphenyl)amine				
Worker DNEL,	long-term	dermal	systemic	5 mg/kg bw/day	
Consumer DNE	EL, long-term	dermal	systemic	2,5 mg/kg bw/day	
Consumer DNE	EL, long-term	oral	systemic	0,25 mg/kg bw/day	
84605-29-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl ar	nd iso-Pr) esters, zinc sa	alts		
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³	
Worker DNEL, long-term		dermal	systemic	12,1 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	2,11 mg/m³	
Consumer DNE	EL, long-term	dermal	systemic	6,1 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,24 mg/kg bw/day	
1190625-94- 5 C14-16-18 Alkyl phenol					
Worker DNEL, long-term		inhalation	systemic	1,17 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,3 mg/kg bw/day	



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 6 of 13

PNEC values

CAS No	Substance				
Environmenta	compartment	Value			
36878-20-3	36878-20-3 Bls(nonylphenyl)amine				
Freshwater		0,412 mg/l			
Freshwater (in	termittent releases)	1 mg/l			
Marine water		0,041 mg/l			
Freshwater se	diment	1 mg/kg			
Marine sedime	ent	0,1 mg/kg			
84605-29-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts				
Freshwater		0,004 mg/l			
Freshwater (in	termittent releases)	0,045 mg/l			
Marine water		0,0046 mg/l			
Freshwater se	0,022 mg/kg				
Marine sedime	0,002 mg/kg				
Secondary po	soning	10,67 mg/kg			
Micro-organisi	ns in sewage treatment plants (STP)	100 mg/l			
Soil		0,002 mg/kg			
1190625-94- 5	C14-16-18 Alkyl phenol				
Freshwater		0,1 mg/l			
Freshwater (in	termittent releases)	1 mg/l			
Marine water	0,01 mg/l				
Freshwater se	4266,16 mg/kg				
Marine sedime	426,62 mg/kg				
Secondary poisoning 3,3 mg					
Micro-organisms in sewage treatment plants (STP) 100 mg/l					
Soil		852,58 mg/kg			

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 7 of 13

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374 Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough

time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: characteristic
Odour threshold: not determined

Test method

Print date: 17.02.2022

pH-Value: not determined

Changes in the physical state

Melting point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Pour point: -45 °C

Flash point: > 200 °C ASTM D 92

Flammability

Solid/liquid: not applicable
Gas: not applicable

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:

unot determined

upper explosion limits:

not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 8 of 13

Oxidizing properties

The product is not: oxidising.

Vapour pressure: not determined

Density (at 15 °C): 0,852 g/cm³

Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Viscosity / dynamic: not determined

Viscosity / kinematic: 59 mm²/s ASTM D 445

(at 40 °C)

Relative vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Conditions to avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Acids
- Oxidising agent
- alkalines

10.6. Hazardous decomposition products

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 9 of 13

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
36878-20-3	Bls(nonylphenyl)amine						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1981)	OECD Guideline 401	
84605-29-8	Phosphorodithioic acid, m	nixed O,O-bis	(1,3-dimeth	ylbutyl and iso-Pr) esters,	zinc salts		
	oral	LD50 mg/kg	4468	Rat	Study report (1985)	OECD Guideline 401	
	dermal	LD50 > 2002 mg/kg		Rat	Study report (1985)	OECD Guideline 402	
	inhalation (4 h) vapour	LC50 mg/l	> 2,3	Rat	Study report	OECD Guideline 403	
1190625-94- 5	- C14-16-18 Alkyl phenol						
	oral	LD50 mg/kg	> 2000	Rat	Study report (2014)	OECD Guideline 423	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2015)	OECD Guideline 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
36878-20-3	Bls(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l			Danio rerio (zebrafish)	ECHA Dossier	
	Acute algae toxicity ErC50 > 100 mg/l			Pseudokirchneriella subcapitata	Study report (2019)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
84605-29-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimeth		ylbutyl aı	butyl and iso-Pr) esters, zinc salts			
	Acute fish toxicity	Acute algae toxicity		96 h	Oncorhynchus mykiss	Study report (2005)	OECD Guideline 203
	Acute algae toxicity			72 h	Desmodesmus subspicatus	Study report	OECD Guideline 201
	Acute crustacea toxicity			48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity			21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
	Acute bacteria toxicity	(> 10000	mg/l)		activated sludge of a domestic residential sewage	Study report (1994)	OECD Guideline 209

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bls(nonylphenyl)amine	7,6
84605-29-8	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	0,56
1190625-94-5	C14-16-18 Alkyl phenol	7,2

BCF

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bls(nonylphenyl)amine	1584,89	Cyprinus carpio	Study report (2000)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 11 of 13

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water



ASTRON Galaxy Eco C1 5W-30

Revision date: 17.02.2022 Page 12 of 13

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



ASTRON Galaxy Eco C1 5W-30	
Revision date: 17.02.2022	Page 13 of 13

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)